Supporting Information


A novel, effective, green and recyclable α -Fe₂O₃@MoS₂@Ni Magnetic nanocatalyst in preparation of a series of 1,2,4-triazolidine-3-thiones and spiro-triazole hybrids

Iman Rezaei^{a*}, Raoofeh Sattari Nobarzad^b, Forouzan Shahri^a and Ilya nazeriyeh^c


^aDepartment of Chemistry, Faculty of Sciences, University of Guilan, P.O. Box 41335-1914, Rasht, Iran Email: <u>Rezaee.imaan@gmail.com</u>

^bDepartment of Chemistry, Faculty of Science, University of Maragheh, P.O. Box 55181-83111, Maragheh, Iran ^cDepartment of Medical Sciences, Faculty of Medicinal Chemistry, Islamic Azad University of Medical Sciences, P.O. Box 19395/1495, Tehran, Iran

spiro[indoline-3,3'-[1,2,4]triazolidine]-2,5'-dione (3a):




5-chlorospiro[indoline-3,3'-[1,2,4]triazolidine]-2,5'-dione (3c):



5,7-dimethyl-5'-thioxospiro[indoline-3,3'-[1,2,4]triazolidin]-2-one (31):

$$\begin{array}{c|c} H & S \\ H_3C & NH \\ N & NH \\ N & H \\ \end{array}$$



5-methyl-5-(4-nitrophenyl)-1,2,4-triazolidine-3-thione (5d):


3000

70 4001.02


Wavenumber [cm-1]

1000


5-phenyl-1,2,4-triazolidine-3-thione (5g):





5-(4-nitrophenyl)-1,2,4-triazolidine-3-thione (5j):



5-(5-hydroxyfuran-2-yl)-2,4-dihydro-3*H*-1,2,4-triazole-3-thione (5k):







5-(5-chlorofuran-2-yl)-2,4-dihydro-3*H*-1,2,4-triazole-3-thione (5l):

